9051 Mira Mesa Blvd, #910094
San Diego, CA 92191
Tel: 760-390-3989

KD-Validated Anti-Raf1 Rabbit Monoclonal Antibody

Rabbit monoclonal antibody

ABG1278


Product Overview

Name	KD-Validated Anti-Raf1 Rabbit Monoclonal Antibody
Accession(Primary)	P04049
Host Species	Rabbit
Clonality	Monoclonal
Isotype	Rabbit IgG
Immunogen	A synthesized peptide derived from human Raf1
Species Reactivity	Human, Mouse, Rat
Calculated MW	Predicted, 73 kDa , observed, 74 kDa
Storage Buffer	Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.
Recommended Dilution	Western Blotting (WB): 1:1,000-1:5,000 Flow Cytometry (FCM): 1:2,000 Immunocytochemistry (IC): 1:1,000

Target information (P04049)


Gene Name	RAF1
About Gene Symbol	RAF1 (Raf-1 Proto-Oncogene, Serine/Threonine Kinase) is a serine/threonine protein kinase involved in cell signaling and proliferation. It is an important research target in cancer research and is widely studied to elucidate cellular mechanisms and identify therapeutic targets.

9051 Mira Mesa Blvd, #910094
San Diego, CA 92191
Tel: 760-390-3989




Copyright ©2024 Genuin Biotechnologies LLC

Western blotting analysis using anti-Raf1 antibody (Cat#ABG1278). Total cell lysates (30 µg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-Raf1 antibody (Cat#ABG1278, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.



Copyright ©2024 Genuin Biotechnologies LLC


Western blotting analysis using anti-Raf1 antibody (Cat#ABG1278). Raf1 expression in wild type (WT) and Raf1 shRNA knockdown (KD) HeLa cells with 30 µg of total cell lysates. β-Tubulin serves as a loading control. The blot was incubated with anti-Raf1 antibody (Cat#ABG1278, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.



Copyright ©2024 Genuin Biotechnologies LLC

Flow cytometric analysis of Raf1 expression in HepG2 cells using Raf1 antibody (Cat#ABG1278, 1:2,000). Green, isotype control; red, Raf1.

9051 Mira Mesa Blvd, #910094
San Diego, CA 92191
Tel: 760-390-3989



Immunocytochemical staining of HepG2 cells with Raf1 antibody (Cat#ABG1278, 1:1,000). Nuclei were stained blue with DAPI; Raf1 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar: 20 µm.