

KD-Validated Anti-SFPQ Rabbit Monoclonal Antibody

Rabbit monoclonal antibody


ABG1662

Product Overview

Name	KD-Validated Anti-SFPQ Rabbit Monoclonal Antibody
Accession(Primary)	P23246
Host Species	Rabbit
Clonality	Monoclonal
Isotype	Rabbit IgG
Immunogen	A synthesized peptide derived from human SFPQ
Species Reactivity	Human, Mouse, Rat
Calculated MW	Predicted, 76 kDa , observed , 100 kDa
Storage Buffer	Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.
Recommended Dilution	Western Blotting (WB):1:1,000-1:5,000 Immunocytochemistry (IC): 1:100-1:1,000 Flow Cytometry (FCM): 1:2,000


Target information (P23246)

Gene Name	SFPQ
About Gene Symbol	SFPQ (Splicing Factor Proline And Glutamine Rich) is a protein phosphatase involved in cellular metabolism. It is an important research target in metabolic disease, cancer metabolism, and drug discovery and is widely studied to elucidate cellular mechanisms




Copyright ©2024 Genuin Biotechnologies LLC

Western blotting analysis using anti-SFPQ antibody (Cat#ABG1662). Total cell lysates (30 μ g) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-SFPQ antibody (Cat#ABG1662, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.




Copyright ©2024 Genuin Biotechnologies LLC

Western blotting analysis using anti-SFPQ antibody (Cat#ABG1662). SFPQ expression in wild type (WT) and SFPQ shRNA knockdown (KD) HeLa cells with 20 μ g of total cell lysates. β -Tubulin serves as a loading control. The blot was incubated with anti-SFPQ antibody (Cat#ABG1662, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.



Copyright ©2024 Genuin Biotechnologies LLC

Flow cytometric analysis of SFPQ expression in HepG2 cells using anti-SFPQ antibody (Cat#ABG1662, 1:2,000). Green, isotype control; red, SFPQ.



Immunocytochemical staining of HepG2 cells with anti-SFPQ antibody (Cat#ABG1662, 1:1,000).

Nuclei were stained blue with DAPI; SFPQ was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: High. Scale bar: 20 μ m.