9051 Mira Mesa Blvd, #910094
San Diego, CA 92191
Tel: 760-390-3989

KD-Validated Anti-UBE2L3 Rabbit Monoclonal Antibody

Rabbit monoclonal antibody

ABG1759


Product Overview

Name	KD-Validated Anti-UBE2L3 Rabbit Monoclonal Antibody
Accession(Primary)	P68036
Host Species	Rabbit
Clonality	Monoclonal
Isotype	Rabbit IgG
Immunogen	A synthesized peptide derived from human UBE2L3
Species Reactivity	Human, Mouse, Rat
Calculated MW	Predicted, 18 kDa , observed , 17 kDa
Storage Buffer	Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.
Recommended Dilution	Western Blotting (WB):1:1,000-1:5,000 Flow Cytometry (FCM): 1:2,000 Immunocytochemistry (IC): 1:100-1:1,000

Target information (P68036)


Gene Name	UBE2L3
About Gene Symbol	UBE2L3 (Ubiquitin Conjugating Enzyme E2 L3) is a ubiquitin E3 ligase involved in ubiquitin-proteasome pathway. It is an important research target in metabolic disease, cancer metabolism, and drug discovery and is widely studied to elucidate cellular mechanisms and identify therapeutic targets.

9051 Mira Mesa Blvd, #910094
San Diego, CA 92191
Tel: 760-390-3989




Western blotting analysis using anti-UBE2L3 antibody (Cat#ABG1759). Total cell lysates (5 µg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-UBE2L3 antibody (Cat#ABG1759, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.

Copyright ©2024 Genuin Biotechnologies LLC



Western blotting analysis using anti-UBE2L3 antibody (Cat#ABG1759). UBE2L3 expression in wild-type (WT) and UBE2L3 shRNA knockdown (KD) HeLa cells with 20 µg of total cell lysates. β-Tubulin serves as a loading control. The blot was incubated with anti-UBE2L3 antibody (Cat#ABG1759, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.


ight ©2024 Genuin Biotechnologies



Flow cytometric analysis of UBE2L3 expression in HepG2 cells using anti-UBE2L3 antibody (Cat#ABG1759, 1:2,000). Green, isotype control; red, UBE2L3.

Copyright ©2024 Genuin Biotechnologies LLC

9051 Mira Mesa Blvd, #910094
San Diego, CA 92191
Tel: 760-390-3989



Immunocytochemical staining of HepG2 cells with anti-UBE2L3 antibody (Cat#ABG1759, 1:1,000). Nuclei were stained blue with DAPI; UBE2L3 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar: 20 µm.