9051 Mira Mesa Blvd, #910094
San Diego, CA 92191
Tel: 760-390-3989

KD-Validated Anti-GRK2 Rabbit Monoclonal Antibody

Rabbit monoclonal antibody

ABG1966


Product Overview

Name	KD-Validated Anti-GRK2 Rabbit Monoclonal Antibody
Accession(Primary)	P25098
Host Species	Rabbit
Clonality	Monoclonal
Isotype	Rabbit IgG
Immunogen	A synthesized peptide derived from human GRK2
Species Reactivity	Human, Mouse, Rat
Calculated MW	Predicted, 80 kDa ; Observed, 80 kDa
Storage Buffer	Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.
Recommended Dilution	Western Blotting (WB): WB 1:1,000-1:5,000 Flow Cytometry (FCM): 1:2,000 Immunocytochemistry (IC): 1:1,000

Target information (P25098)


Gene Name	GRK2
About Gene Symbol	GRK2 (G Protein-Coupled Receptor Kinase 2) is a membrane receptor involved in receptor-mediated signaling. It is an important research target in cell signaling, drug discovery, and cancer research and is widely studied to elucidate cellular mechanisms and identify therapeutic targets.

9051 Mira Mesa Blvd, #910094
San Diego, CA 92191
Tel: 760-390-3989




Copyright ©2024 Genuin Biotechnologies LLC

Western blotting analysis using anti-GRK2 antibody (Cat#ABG1966). Total cell lysates (30 µg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-GRK2 antibody (Cat#ABG1966, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.



pyright ©2024 Genuin Biotechnologies LL


Western blotting analysis using anti-GRK2 antibody (Cat#ABG1966). GRK2 expression in wild-type (WT) and GRK2 shRNA knockdown (KD) HeLa cells with 20 µg of total cell lysates. β-Tubulin serves as a loading control. The blot was incubated with anti-GRK2 antibody (Cat#ABG1966, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.



Copyright ©2024 Genuin Biotechnologies LLC

Flow cytometric analysis of GRK2 expression in HepG2 cells using GRK2 antibody (Cat#ABG1966, 1:2,000). Green, isotype control; red, GRK2.

9051 Mira Mesa Blvd, #910094
San Diego, CA 92191
Tel: 760-390-3989



Immunocytochemical staining of HepG2 cells with GRK2 antibody (Cat#ABG1966, 1:1,000). Nuclei were stained blue with DAPI; GRK2 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar: 20 µm.