

KD-Validated Anti-ACADM Rabbit Monoclonal Antibody

Rabbit monoclonal antibody


ABG1369

Product Overview


Name	KD-Validated Anti-ACADM Rabbit Monoclonal Antibody
Catalog #	ABG1369
Clonality	Monoclonal
Accession(Primary)	P11310
Application Note (Approx.)	WB1:5,000 FC1:2,000 ICC1:1,000
Precautions	

Target information(P11310)


Synonyms**Gene ID****Other Names****Function****Cellular location****Note**




Western blotting analysis using anti-ACADM antibody (Cat#ABG1369). Total cell lysates (30 µg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-ACADM antibody (Cat#ABG1369, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.



Western blotting analysis using anti-ACADM antibody (Cat#ABG1369). ACADM expression in wild type (WT) and ACADM knockdown (KD) 293T cells with 20 μ g of total cell lysates. Hsp90 serves as a loading control. The blot was incubated with anti-ACADM antibody (Cat#ABG1369, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody respectively.



Flow cytometric analysis of ACADM expression in HepG2 cells using anti-ACADM antibody (Cat#ABG1369, 1:2,000). Green, isotype control; red, ACADM.



Immunocytochemical staining of HepG2 cells with anti-ACADM antibody (Cat#ABG1369, 1:1,000). Nuclei were stained blue with DAPI; ACADM was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar, 20 μ m.
